Journal of

MEDICAL GENETICS

VOLUME 35 · 1998

Editor: Eamonn R Maher
Associate Editors: Charis Eng
Willie Reardon
Guy Van Camp
Technical Editor: Clare Henderson
Editorial Assistant: Judith Marson

EDITORIAL COMMITTEE

Stylianos E Antonarakis (Geneva)
V Baranov (St Petersburg)
D Timothy Bishop (Leeds)
M H Breuning (Leiden)
David F Callen (Adelaide)
A Cao (Cagliari)
David R Cox (San Francisco)
A E Czeizel (Hungary)
Gerry Evers-Kiebooms (Leuven)
J-P Fryns (Leuven)
T Gedde-Dahl Jr (Oslo)
Karl-Heinz Grzeschik (Marburg)
Judith G Hall (Vancouver)
Rodney Harris (Manchester)
M R Hayden (Vancouver)
Patricia A Jacobs (Salisbury)
Thaddeus E Kelly (Charlottesville)
P McGuffin (Cardiff)
Victor A McKusick (Baltimore)
Jean-Louis Mandel (Strasbourg)
T Marteau (London)
T Mazurczak (Warsaw)
Margareta Mikkelsen (Copenhagen)
Arnold Munnich (Paris)
Grant R Sutherland (Adelaide)
N Tommerup (Copenhagen)
G J B van Ommen (Leiden)
Tessa Webb (Birmingham)
Andrew O M Wilkie (Oxford)
Y T Zeng (Shanghai)
Editor,
British Medical Journal

APPOINTED BY THE BRITISH MEDICAL ASSOCIATION

BRITISH MEDICAL ASSOCIATION · TAVISTOCK SQUARE · LONDON WC1H 9JR

VOLUME 35 · CONTENTS

No 1 JANUARY 1998

Page **Original articles**

1 A linkage survey of 20 dominant retinitis pigmentosa families: frequencies of the nine known loci and evidence for further heterogeneity *C F Inglehearn, E E Tarttelin, C Plant, R E Peacock, M Al-Maghtheh, E Vithana, A C Bird, S S Bhattacharya*

6 Variants of α_1-proteinase inhibitor in black and white South African patients with focal glomerulosclerosis and minimal change nephrotic syndrome *A C Halkas, M C Gaillard, P D Thomson, S L Green, H Ludewick, U Kala*

10 An evaluation of common breast cancer gene mutations in a population of Ashkenazi Jews *F Lalloo, S Cochrane, B Bulman, J Varley, R Elles, A Howell, D G R Evans*

13 Prenatal diagnosis of autosomal dominant polycystic kidney disease (PKD1) presenting in utero and prognosis for very early onset disease *K D MacDermot, A K Saggar-Malik, D L Economides, S Jeffery*

17 An autosomal or X linked mutation results in true hermaphrodites and 46,XX males in the same family *S F Slaney, I J Chalmers, N A Affara, L S Chitty*

23 A pedigree analysis with minimised ascertainment bias shows anticipation in Met30-transthyretin related familial amyloid polyneuropathy *K Yamamoto, S Ikeda, N Hanyu, S Takeda, N Yanagisawa*

31 Kenny-Caffey syndrome is part of the CATCH 22 haploinsufficiency cluster *M A Sabry, M Zaki, S J A Hassan, D G Ramadan, M A A Rasool, S A Al Awadi, Q Al Saleh*

37 Chromosome specific comparative genome hybridisation for determining the origin of intrachromosomal duplications *D K Griffin, D Sanoudou, E Adamski, C McGiffert, P O'Brien, J Wienberg, M A Ferguson-Smith*

42 Peutz-Jeghers disease: most, but not all, families are compatible with linkage to 19p13.3 *S Olschwang, D Markie, S Seal, K Neale, R Phillips, S Cottrell, I Ellis, S Hodgson, P Zauber, A Spigelman, T Iwama, S Loff, C McKeown, C Marchese, J Sampson, S Davies, I Talbot, J Wyke, G Thomas, W Bodmer, A Hemminki, E Avizienyte, A de la Chapelle, L Aaltonen, M Stratton, R Houlston, I Tomlinson*

45 Do intronic mutations affecting splicing of WT1 exon 9 cause Frasier syndrome? *H Kikuchi, A Takata, Y Akasaka, R Fukuzawa, H Yoneyama, Y Kurosawa, M Honda, Y Kamiyama, J Hata*

Syndrome of the month

49 Atelosteogenesis type 2 *R Newbury-Ecob*

Short reports

54 Costello syndrome in two Brazilian children *R Pratesi, M Santos, I Ferrari*

58 Familial persistent pulmonary hypertension of the newborn resulting from misalignment of the pulmonary vessels (congenital alveolar capillary dysplasia) *H B Vassal, M Malone, A J Petros, R M Winter*

61 Neonatal cholestasis and focal medullary dysplasia of the kidneys in a case of microcephalic osteodysplastic primordial dwarfism *A Berger, N Haschke, C Kohlhauser, G Amman, U Unterberger, M Weninger*

65 Kyphomelic dysplasia in two sib fetuses *C-P Chen, S-R Chern, S-L Shih, C-Y Chuang, F-Y Huang*

70 Proteinuria in a patient with the diaphragmatic hernia-hypertelorism-myopia-deafness syndrome: further evidence that the facio-oculo-acoustico-renal syndrome represents the same entity *K Devriendt, L Standaert, C Van Hole, H Devlieger, J-P Fryns*

72 Distal 10q trisomy syndrome with unusual cardiac and pulmonary abnormalities *J Davies, A Jaffé, A Bush*

75 Partial trisomy 1(q42→qter): a new case with a mild phenotype *D Concolino, R Cinti, L Ferraro, M T Moricca, P Strisciuglio*

78 Intrachromosomal triplication of distal 7p *H Rivera, L Bobadilla, A Rolon, J Kunz, J A Crolla*

Abstracts

81 Medical genetics: advances in brief

Letters to the Editor

82 Cystic fibrosis and mucins *A Harris, C Reid*

83 Chinese geneticists approach ethics *X Mao*

84 Familial gonadal tumours *M Tischkowitz, D Pilz, P S Harper*

84 Cystic fibrosis in a Puerto Rican female homozygous for the R1066C mutation *M-H Liang, L-J C Wong, D Klein, B Shapiro, C M Bowman, E Hsu*

85 Lack of evidence for genetic heterogeneity in Best vitelliform macular dystrophy *F Mansergh, T Meitinger, G Rodolph, P Humphries, G J Farrar*

86 Is $p57^{KIP2}$ mutation a common mechanism for Beckwith-Wiedemann syndrome or somatic overgrowth? *K Okamoto, I M Morison, A E Reeve, N Tommerup, H R Wiedemann, U Friedrich*

86 **Book reviews**

88 **Notice to contributors**

No 2 FEBRUARY 1998

Page **Original articles**

89 Mapping of a complicated familial spastic paraplegia to locus SPG4 on chromosome 2p *O Heinzlef, C Paternotte, F Mahieux, J-F Prud'homme, J Dien, M Madigand, J Pouget, J Weissenbach, E Roullet, J Hazan*

94 "Cataplexy" and muscle ultrasound abnormalities in Coffin-Lowry syndrome *Y J Crow, S M Zuberi, R McWilliam, J L Tolmie, A Hollman, K Pohl, J B P Stephenson*

99 Uncloned expanded CAG/CTG repeat sequences in autosomal dominant cerebellar ataxia (ADCA) detected by the repeat expansion detection (RED) method *M A Pujana, V Volpini, M Gratacòs, J Corral, I Banchs, A Sánchez, D Genis, C Cervera, X Estivill*

103 Unusual mutations in high functioning fragile X males: apparent instability of expanded unmethylated CGG repeats *D Wöhrle, U Salat, D Gläser, J Mücke, M Meisel-Stosiek, D Schindler, W Vogel, P Steinbach*

112 Scarcity of mutations detected in families with X linked hypohidrotic ectodermal dysplasia: diagnostic implications *B M Ferguson, N S T Thomas, F Munoz, D Morgan, A Clarke, J Zonana*

116 Using gene carrier probability to select high risk families for identifying germline mutations in breast cancer susceptibility genes *J Chang-Claude, J Dong, S Schmidt, M Shayeghi, D Komitowski, H Becher, M R Stratton, B Royer-Pokora*

122 P67L: a cystic fibrosis allele with mild effects found at high frequency in the Scottish population *A Gilfillan, J P Warner, J M Kirk, T Marshall, A Greening, L-P Ho, T Hargreave, B Stack, D McIntyre, R Davidson, J C S Dean, W Middleton, D J H Brock*

126 Prenatal detection of trisomy 21 and 18 from amniotic fluid by quantitative fluorescent polymerase chain reaction *T Tóth, I Findlay, C Papp, E Tóth-Pál, T Marton, B Nagy, P Quirke, Z Papp*

130 The mechanisms involved in formation of deletions and duplications of 15q11-q13 *W P Robinson, F Dutly, R D Nicholls, F Bernasconi, M Peñaherrera, R C Michaelis, D Abeliovich, A A Schinzel*

137 Absence of mutations in the interspecies conserved regions of the CFTR promoter region in cystic fibrosis (CF) and CF related patients *C Verlingue, S Vuillaumier, B Mercier, G Le Gac, J Elion, C Férec, E Denamur*

141 A new autosomal recessive retinitis pigmentosa locus maps on chromosome 2q31-q33 *M Bayés, B Goldaracena, A Martínez-Mir, M I Iragui-Madoz, T Solans, P Chivelet, E Bussaglia, M A Ramos-Arroyo, M Baiget, L Vilageliu, S Balcells, R González-Duarte, D Grinberg*

146 Characterisation of an inverted X chromosome (p11.2q21.3) associated with mental retardation using FISH *F Sloan-Béna, C Philippe, B LeHeup, F Wuilque, E R Levy, M Chéry, P Jonveaux, A P Monaco*

Short reports

151 A Moroccan family with autosomal recessive sensorineural hearing loss caused by a mutation in the gap junction protein gene connexin 26 (GJB2) *N J Lench, A F Markham, R F Mueller, D P Kelsell, R J H Smith, P J Willems, I Schatteman, H Capon, P J Van De Heyning, G Van Camp*

153 A patient with Simpson-Golabi-Behmel syndrome and hepatocellular carcinoma *P Lapunzina, I Badia, C Galoppo, E De Matteo, P Silberman, A Tello, J Grichener, R Hughes-Benzie*

157 Ectodermal dysplasia, primary hypothyroidism, and agenesis of the corpus callosum: variable expression of a single syndrome? *M Silengo, L Silvestro, G Capizzi, M Lerone, M Seri, L Rosaia, G Romeo*

159 MRI findings in a patient with partial monosomy 10p *F Sunada, F C Rash, D A Tam*

162 Beckwith-Wiedemann syndrome in a child with chromosome 18q deletion *C M Brewer, W W K Lam, C Hayward, E Grace, E R Maher, D R FitzPatrick*

165 Prenatal diagnosis by FISH of a 22q11 deletion in two families *M-F Portnoï, N Joyé, M Gonzales, S Demczuk, L Fermont, G Gaillard, G Bercau, G Morlier, J-L Taillemite*

169 A molecular, cytogenetic, and clinical evaluation of mosaic tandem duplication 17p and Charcot-Marie-Tooth type 1A neuropathy *K S Reddy, M B Larsen*

Abstracts

173 Medical genetics: advances in brief

Letters to the Editor

174 Homozygosity for Asn86Ser mutation in the CuZn-superoxide dismutase gene produces a severe clinical phenotype in a juvenile onset case of familial amyotrophic lateral sclerosis *C Hayward, D J H Brock R A Minns, R J Swingler*

174 RP11 is the second most common locus for dominant retinitis pigmentosa *E Vithana, M Al-Maghtheh, S S Bhattacharya, C F Inglehearn*

176 **Book review**

176 **Notice**

No 3 MARCH 1998

Page **Review article**

177 Recurrence risks in mental retardation *Y J Crow, J L Tolmie*

Original articles

183 Counselling issues in familial hypertrophic cardiomyopathy *B Yu, J A French, R W Jeremy, P French, D R McTaggart, M R Nicholson, C Semsarian, D R Richmond, R J Trent*

189 How the magnitude of clinical severity and recurrence risk affects reproductive decisions in adult males with different forms of progressive muscular dystrophy *S Eggers, M Zatz*

196 Genetic heterogeneity and HOMOG analysis in British malignant hyperthermia families *R Robinson, J L Curran, W J Hall, P J Halsall, P M Hopkins, A F Markham, A D Stewart, S P West, F R Ellis*

202 Further refinement of Pendred syndrome locus by homozygosity analysis to a 0.8 cM interval flanked by D7S496 and D7S2425 *M Mustapha, S T Azar, Y B Moglabey, M Saouda, G Zeitoun, J Loiselet, R Slim*

205 Molecular pathology of familial hypertrophic cardiomyopathy caused by mutations in the cardiac myosin binding protein C gene *B Yu, J A French, L Carrier, R W Jeremy, D R McTaggart, M R Nicholson, B Hambly, C Semsarian, D R Richmond, K Schwartz, R J Trent*

211 PCR based mutation screening of the laminin α2 chain gene (LAMA2): application to prenatal diagnosis and search for founder effects in congenital muscular dystrophy *P Guicheney, N Vignier, X Zhang, Y He, C Cruaud, V Frey, A Helbling-Leclerc, P Richard, B Estournet, L Merlini, H Topaloglu, M Mora, J-P Harpey, C-A Haenggeli, A Barois, B Hainque, K Schwartz, F M S Tomé, M Fardeau, K Tryggvason*

218 Evidence of linkage of the inflammatory bowel disease susceptibility locus on chromosome 16 (IBD1) to ulcerative colitis *M M Mirza, J Lee, D Teare, J-P Hugot, P Laurent-Puig, J-F Colombel, S V Hodgson, G Thomas, D F Easton, J E Lennard-Jones, C G Mathew*

222 Outcome of chromosomally normal livebirths with increased fetal nuchal translucency at 10-14 weeks' gestation *A F Brady, P P Pandya, B Yuksel, A Greenough, M A Patton, K H Nicolaides*

225 A new strategy for cryptic telomeric translocation screening in patients with idiopathic mental retardation *S R Ghaffari, E Boyd, J L Tolmie, Y J Crow, A H Trainer, J M Connor*

234 A new approach to the elucidation of complex chromosome rearrangements illustrated by a case of Rieger syndrome *C Mackie Ogilvie, F L Raymond, R H Harrison, P N Scriven, Z Docherty*

Syndrome of the month

238 Costello syndrome *N Philip, S Sigaudy*

Short reports

241 Extensive germinal mosaicism in a family with X linked myotubular myopathy simulates genetic heterogeneity *M-C Vincent, C Guiraud-Chaumeil, J Laporte, S Manouvrier-Hanu, J-L Mandel*

244 Molecular basis of variegate porphyria: a missense mutation in the protoporphyrinogen oxidase gene *J Frank, H Lam, E Zaider, M Poh-Fitzpatrick, A M Christiano*

248 Septo-optic dysplasia and WS1 in the proband of a WS1 family segregating for a novel mutation in PAX3 exon 7 *M L Carey, T B Friedman, J H Asher Jr, J W Innis*

251 The first de novo mutation of the connexin 32 gene associated with X linked Charcot-Marie-Tooth disease *F Meggouh, A Benomar, H Rouger, S Tardieu, N Birouk, J Tassin, C Barhoumi, M Yahyaoui, T Chkili, A Brice, E LeGuern*

253 Identification of a new missense mutation in MyBP-C associated with hypertrophic cardiomyopathy *J C Moolman-Smook, B Mayosi, P Brink, V A Corfield*

255 Pancreatic exocrine dysfunction associated with mitochondrial $tRNA^{Leu(UUR)}$ mutation *H Onishi, T Hanihara, N Sugiyama, C Kawanishi, E Iseki, Y Maruyama, Y Yamada, K Kosaka, S Yagishita, H Sekihara, S Satoh*

258 Fuch's corneal dystrophy in a patient with mitochondrial DNA mutations *R L Albin*

Abstracts

260 Medical genetics: advances in brief

Letters to the Editor

262 Is meconium ileus genetically determined or associated with a more severe evolution of cystic fibrosis? *M De Braekeleer, C Allard, J-P Leblanc, G Aubin, F Simard*

263 UK centres are not following the Royal College of Pathologists' recommendations for storage of Guthrie cards: a national policy is needed *S Rahman, A Emery, J Poulton*

263 Cyclopia and sirenomelia in a liveborn infant *M I Martínez-Frías, A García, E Bermejo*

264 **Book review**

No 4 APRIL 1998

Page **Original articles**

265 A simple and efficient method for microdissection and microFISH *J J M Engelen, J C M Albrechts, G J H Hamers, J P M Geraedts*

269 Localisation of the gene for glycogen storage disease type 1c by homozygosity mapping to 11q *C D Fenske, S Jeffery, J L Weber, R S Houlston, J V Leonard, P J Lee*

273 Alport syndrome, mental retardation, midface hypoplasia, and elliptocytosis: a new X linked contiguous gene deletion syndrome? *J J Jonsson, A Renieri, P G Gallagher, C E Kashtan, E M Cherniske, M Bruttini, M Piccini, F Vitelli, A Ballabio, B R Pober*

279 Molecular studies in Finnish patients with familial juvenile nephronophthisis exclude a founder effect and support a common mutation causing mechanism *S Ala-Mello, E-M Sankila, O Koskimies, A de la Chapelle, H Kääriäinen*

284 Genetic localisation of mental retardation with spastic diplegia to the pericentromeric region of the X chromosome: X inactivation in female carriers *F Martínez, M Tomás, J M Millán, A Fernández, F Palau, F Prieto*

288 Organisation of the human PAX4 gene and its exclusion as a candidate for the Wolcott-Rallison syndrome *D T Bonthron, N Dunlop, D G D Barr, A A El Sanousi, L I Al-Gazali*

293 Myotonia congenita in northern Finland: an epidemiological and genetic study *P Baumann, V V Myllylä, J Leisti*

297 Chromosome mapping of Rett syndrome: a likely candidate region on the telomere of Xq *F Xiang, Z Zhang, A Clarke, P Joseluiz, N Sakkubai, B Sarojini, C D Delozier-Blanchet, I Hansmann, L Edström, M Anvret*

301 Population genetics of hyperphenylalaninaemia resulting from phenylalanine hydroxylase deficiency in Portugal *I Rivera, P Leandro, U Lichter-Konecki, I Tavares de Almeida, M C Lechner*

305 Evidence for anticipation in autosomal dominant limb-girdle muscular dystrophy *M C Speer, J M Gilchrist, J M Stajich, P C Gaskell, C A Westbrook, S K Horrigan, L Bartoloni, L H Yamaoka, W K Scott, M A Pericak-Vance*

Clinical practice in medical genetics

309 Contracting for clinical genetic services: the Welsh model *H E Hughes, J K Alderman, M Krawczak, C Rogers*

Syndrome of the month

314 The dystonias *P R Jarman, T T Warner*

Short reports

319 Trisomy 2q11.2→q21.1 resulting from an unbalanced insertion in two generations *I A Glass, P Stormer, P T S P Oei, E Hacking, P D Cotter*

323 Familial neurofibromatosis type 1 associated with an overgrowth syndrome resembling Weaver syndrome *C J van Asperen, W C G Overweg-Plandsoen, M H Cnossen, D A van Tijn, R C M Hennekam*

328 Simultaneous adrenocortical carcinoma and ganglioneuroblastoma in a child with Turner syndrome and germline p53 mutation *E K Pivnick, W L Furman, G V N Velagaleti, J J Jenkins, N A Chase, R C Ribeiro*

333 Two adult females with a distinct familial mental retardation syndrome: non-progressive neurological symptoms with ataxia and hypotonia, similar facial appearance, hypergonadotrophic hypogonadism, and retinal dystrophy *J-P Fryns, C Van Lingen, K Devriendt, E Legius, P Raus*

336 Keratosis follicularis spinulosa decalvans: confirmation of linkage to Xp22.13-p22.2 *M E M Porteous, L Strain, L J Logie, R M Herd, E C Benton*

338 Absence of PAX2 gene mutations in patients with primary familial vesicoureteric reflux *K-L Choi, L A McNoe, M C French, P J Guilford, M R Eccles*

340 Severe testotoxicosis phenotype associated with Asp578→Tyr mutation of the lutrophin/choriogonadotrophin receptor gene *J Müller, B Gondos, S Kosugi, T Mori, A Shenker*

342 Oral-facial-digital syndrome type IX in a patient with Dandy-Walker malformation *K Nagai, M Nagao, M Nagao, S Yanai, K Minagawa, Y Takahashi, Y Takekoshi, A Ishizaka, Y Matsuzono, O Kobayashi, T Itagaki*

Abstracts

345 Medical genetics: advances in brief

Letters to the Editor

346 Craniosynostosis and chromosome 22q11 deletion *J C S Dean, D C de Silva, W Reardon*

346 Spectrum of clinical features associated with interstitial chromosome 22q11 deletions *M Di Rocco, A Buocompagni, P Picco, S Vignola, C Borrone, G Gimelli*

346 Clinical features of chromosome 22q11 deletion *A Hunter*

347 Reply to letters regarding clinical features of chromosome 22q11 deletion *A Ryan, J A Goodship, D I Wilson, on behalf of the European Consortium*

347 Absence of a del(22q11) in a patient with the 3C (craniocerebellocardiac) syndrome *J M Saraiva, E Matoso, I Marques*

348 A mother with VCFS and unilateral dysplastic kidney and her fetus with multicystic dysplastic kidneys: additional evidence to support the association of renal malformations and VCFS *P M Czarnecki, D L Van Dyke, S Vats, G L Feldman*

348 New overgrowth syndrome and FGFR3 dosage effect *M M Cohen Jr, G Neri*

348 Reply *M Partington, G Turner*

349 Robinow syndrome *M Van Steensel*

350 Reply *M A Sabry, E A R Ismail, N Al-Torki, S Farah*

350 **Book review**

350 **Notice**

352 **Notice to contributors**

No 5 MAY 1998

Page **Review article**

353 Hereditary fructose intolerance *M Ali, P Rellos, T M Cox*

Original articles

366 A comparison of disease and gene frequencies of inborn errors of metabolism among different ethnic groups in the West Midlands, UK *A C J Hutchesson, S Bundey, M A Preece, S K Hall, A Green*

371 Prediction of liability to orofacial clefting using genetic and craniofacial data from parents *P A Mossey, R Arngrimsson, J McColl, G M Vintiner, J M Connor*

379 Abnormalities of dystrophin, the sarcoglycans, and laminin α2 in the muscular dystrophies *K J Jones, S S Kim, K N North*

387 Molecular study of the rhodopsin gene in retinitis pigmentosa patients in the Basque Country *A I Alvarez, E Arostegui, R Martin, M Duran, M L Onaindia, M Molina, M I Tejada*

391 Linkage analysis in Usher syndrome type I (USH1) families from Spain *C Espinós, C Nájera, J M Millán, C Ayuso, M Baiget, H Pérez-Garrigues, O Rodrigo, C Vilela, M Beneyto*

399 Genotype-phenotype correlation in L1 associated diseases *E Fransen, G Van Camp, R D'Hooge, L Vits, P J Willems*

405 Psychosocial adaptation in adolescents and young adults with Marfan syndrome: an exploratory study *A Van Tongerloo, A De Paepe*

Clinical practice in medical genetics

410 Recommendations for Education and Training of Genetic Nurses and Counsellors in the United Kingdom *H Skirton, C Barnes, P Guilbert, A Kershaw, L Kerzin-Storrar, C Patch, G Curtis, J Walford-Moore*

413 The North Cumbria Community Genetics Project *D S Chase, E J Tawn, L Parker, P Jonas, C O Parker, J Burn*

Short reports

417 Autosomal dominant juvenile recurrent parotitis *E Reid, F Douglas, Y Crow, A Hollman, J Gibson*

420 49,XXXXY: a distinct phenotype. Three new cases and review *J Peet, D D Weaver, G H Vance*

425 Triplication of 15q11-q13 with inv dup(15) in a female with developmental delay *F L Long, D P Duckett, L J Billam, D K Williams, J A Crolla*

429 A new family of Greek origin maps to the CRD locus for autosomal dominant cone-rod dystrophy on 19q *M Papaioannou, D Bessant, A Payne, J Bellingham, C Rougas, A Loutradis-Anagnostou, C Gregory-Evans, A Balassopoulou, S Bhattacharya*

432 Exclusion of the familial Mediterranean fever locus as a susceptibility region for autosomal dominant familial Hibernian fever *M F McDermott, E M McDermott, K A Quane, L C Jones, B W Ogunkolade, D Curtis, F Waldron-Lynch, M Phelan, G A Hitman, M G Molloy, R J Powell*

435 Unknown syndrome: peculiar face, severe hypodontia of permanent teeth, and precocious choroid calcifications *R Pallotta, P Fusilli*

Abstracts

438 Medical genetics: advances in brief

439 **Book reviews**

No 6 JUNE 1998

Page **Annotation**

441 Medical genetics in the UK and the National Health Service *P S Harper*

Commentary

443 "Code of Practice and Guidance on Human Genetic Testing Services Supplied Direct to the Public". Advisory Committee on Genetic Testing *J C K Barber*

Original articles

446 A population study of mutations and LOH at breast cancer gene loci in tumours from sister pairs: two recurrent mutations seem to account for all BRCA1/BRCA2 linked breast cancer in Iceland *A Arason, A Jonasdottir, R B Barkardottir, J T Bergthorsson, M D Teare, D F Easton, V Egilsson*

450 Genotype/phenotype correlations in type 2 neurofibromatosis (NF2): evidence for more severe disease associated with truncating mutations *D G R Evans, L Trueman, A Wallace, S Collins, T Strachan*

456 A silent mutation, C924T (G308G), in the L1CAM gene results in X linked hydrocephalus (HSAS) *Y-Z Du, C Dickerson, A S Aylsworth, C E Schwartz*

463 A polymorphism of the CC16 gene is associated with an increased risk of asthma *I A Laing, J Goldblatt, E Eber, C M Hayden, P J Rye, N A Gibson, L J Palmer, P R Burton, P N Le Souëf*

468 Constitutional and mosaic large NF1 gene deletions in neurofibromatosis type 1 *S A Rasmussen, S D Colman, V T Ho, C R Abernathy, P H Arn, L Weiss, C Schwartz, R A Saul, M R Wallace*

472 A rapid, PCR based test for differential molecular diagnosis of Prader-Willi and Angelman syndromes *K A Chotai, S J Payne*

476 A survey of phenotypic features in juvenile polyposis *D C Desai, V Murday, R K S Phillips, K F Neale, P Milla, S V Hodgson*

482 Maternal age specific risk rate estimates for Down syndrome among live births in whites and other races from Ohio and Metropolitan Atlanta, 1970-1989 *C A Huether, J Ivanovich, B S Goodwin, E L Krivchenia, V S Hertzberg, L D Edmonds, D S May, J H Priest*

491 Duplication of 8p23.1: a cytogenetic anomaly with no established clinical significance *J C K Barber, C A Joyce, M N Collinson, J C Nicholson, L R Willatt, H M Dyson, M S Bateman, A J Green, J R W Yates, N R Dennis*

Syndrome of the month

497 Meckel syndrome *R Salonen, P Paavola*

Short reports

502 Linkage and association of an interleukin 4 gene polymorphism with atopic dermatitis in Japanese families *T Kawashima, E Noguchi, T Arinami, K Yamakawa-Kobayashi, H Nakagawa, F Otsuka, H Hamaguchi*

505 A lethal skeletal dysplasia with features of chondrodysplasia punctata and osteogenesis imperfecta: an example of Astley-Kendall dysplasia. Further delineation of a rare genetic disorder *N Elçioglu, C M Hall*

508 Oto-onycho-peroneal syndrome: confirmation of a syndrome *K Devriendt, D Stoffelen, R Pfeiffer, A Leys, J-P Fryns*

510 The diagnosis of Liddle syndrome by identification of a mutation in the β subunit of the epithelial sodium channel *S N J Jackson, B Williams, P Houtman, R C Trembath*

513 New lethal disease involving type I and III collagen defect resembling geroderma osteodysplastica, De Barsy syndrome, and Ehlers-Danlos syndrome IV *A Jukkola, S Kauppila, L Risteli, K Vuopala, J Risteli, J Leisti, L Pajunen*

519 Three patients with a 45,X/46,X,psu dic(Xp) karyotype *P Dalton, B Coppin, R James, D Skuse, P Jacobs*

Abstracts

525 Medical genetics: advances in brief

Letters to the Editor

526 Laws regarding insurance companies *G Hauser, A Jenisch*

527 Microsatellite markers for the cone-rod retinal dystrophy gene, CRX, on 19q13.3 *J Bellingham, C Y Gregory-Evans, K Gregory-Evans*

527 **Notice**

528 **Correction**

No 7 JULY 1998

Page **Editorial**

529 Mutation databases on the web *A I Wacey, E G D Tuddenham*

Original articles

534 Molecular screening for proximal 15q abnormalities in a mentally retarded population *J Jacobsen, B H King, B L Leventhal, S L Christian, D H Ledbetter, E H Cook Jr*

539 Uniparental and functional X disomy in Turner syndrome patients with unexplained mental retardation and X derived marker chromosomes *T Yorifuji, J Muroi, M Kawai, A Uematsu, H Sasaki, T Momoi, M Kaji, C Yamanaka, K Furusho*

545 Analysis of a familial three way translocation involving chromosomes 3q, 6q, and 15q by high resolution banding and fluorescent in situ hybridisation (FISH) shows two different unbalanced karyotypes in sibs *D Wieczorek, H Engels, R Viersbach, B Henke, G Schwanitz, E Passarge*

554 Choroid plexus cysts and aneuploidy *D Peleg, J Yankowitz*

558 Smith-Lemli-Opitz syndrome: a variable clinical and biochemical phenotype *A K Ryan, K Bartlett, P Clayton, S Eaton, L Mills, D Donnai, R M Winter, J Burn*

566 A distinct form of spondyloepimetaphyseal dysplasia with multiple dislocations *C M Hall, N H Elçioglu, D G Shaw*

573 Identification of a common low density lipoprotein receptor mutation (C163Y) in the west of Scotland *W K Lee, L Haddad, M J Macleod, A M Dorrance, D J Wilson, D Gaffney, M H Dominiczak, C J D Packard, I N M Day, S E Humphries, A F Dominiczak*

Syndrome of the month

579 The fragile X syndrome *B B A de Vries, D J J Halley, B A Oostra, M F Niermeijer*

Short reports

590 Mutation analysis of the nerve specific promoter of the peripheral myelin protein 22 gene in CMT1 disease and HNPP *E Nelis, P De Jonghe, E De Vriendt, P I Patel, J-J Martin, C Van Broeckhoven*

594 Linkage disequilibrium between the M470V variant and the IVS8 polyT alleles of the CFTR gene in CBAVD *A de Meeus, C Guittard, M Desgeorges, S Carles, J Demaille, M Claustres*

597 Acampomelic campomelic dysplasia with de novo 5q;17q reciprocal translocation and severe phenotype *R Savarirayan, A Bankier*

600 Mosaicism for a tandem duplication dup(1)(q12q22) in an 18 year old female *D de Silva, D Massie, J Drummond, D Couzin, J C S Dean*

604 Two cases of partial trisomy 8p and partial monosomy 21q in a family with a reciprocal translocation (8;21)(p21.1;q22.3) *A S Plomp, J J M Engelen, J C M Albrechts, C E M de Die-Smulders, A J H Hamers*

609 Extensive form of aplasia cutis congenita: a new syndrome? *M-S Park, S-H Hahn, C-H Hong, J-S Kim, H-S Kim*

Letters to the Editor

612 Holoprosencephaly in deletions of proximal chromosome 14q *K Devriendt, J-P Fryns, C-P Chen*

613 No evidence for heterogeneity in oculopharyngeal muscular dystrophy *W Kress, B Halliger-Keller, T Grimm, H Porschke, A Engelhardt, H-H Goebel, B Müller-Mysok*

614 Another holoprosencephaly locus at 7q21.2? *J-P Fryns*

615 **Book review**

616 **Notice to contributors**

No 8 AUGUST 1998 Page **Original articles**

617 Hirschsprung disease, microcephaly, mental retardation, and characteristic facial features: delineation of a new syndrome and identification of a locus at chromosome 2q22-q23 *D R Mowat, G D H Croaker, D T Cass, B A Kerr, J Chaitow, L C Adès, N L Chia, M J Wilson*

624 Minor disease features in neurofibromatosis type 1 (NF1) and their possible value in diagnosis of NF1 in children ≤6 years and clinically suspected of having NF1 *M H Cnossen, K G M Moons, M P J Garssen, N M T Pasmans, A de Goede-Bolder, M F Niermeijer, D E Grobbee, and the neurofibromatosis team of Sophia Children's Hospital.*

628 Bony orbital morphology in neurofibromatosis type 1 (NF1) *S C Kaste, E K Pivnick*

632 Distortion of maternal-fetal angiotensin II type 1 receptor allele transmission in pre-eclampsia *L Morgan, S Crawshaw, P N Baker, J F Y Brookfield, F Broughton Pipkin, N Kalsheker*

637 Studies of FRAXA and FRAXE in women with premature ovarian failure *A Murray, J Webb, S Grimley, G Conway, P Jacobs*

641 Assessment of the interphotoreceptor matrix proteoglycan-1 (IMPG1) gene localised to 6q13-q15 in autosomal dominant Stargardt-like disease (ADSTGD), progressive bifocal chorioretinal atrophy (PBCRA), and North Carolina macular dystrophy (MCDR1) *A Gehrig, U Felbor, R E Kelsell, D M Hunt, I H Maumenee, B H F Weber*

646 Reassessment of biochemically determined Hunter syndrome carrier status by DNA testing *K M Timms, F J Edwards, J W Belmont, J R W Yates, R A Gibbs*

650 Clinical heterogeneity and novel mutations in the glycerol kinase gene in three families with isolated glycerol kinase deficiency *D R Sjarif, R J Sinke, M Duran, F A Beemer, W J Kleijer, J K Ploos van Amstel, B T Poll-The*

657 Cystic fibrosis screening: a fetus with hyperechogenic bowel may be the index case *F Muller, M Dommergues, B Simon-Bouy, C Ferec, J-F Oury, M-C Aubry, R Bessis, E Vuillard, E Denamur, T Bienvenu, J-L Serre*

Personal view

661 Congenital malformations: an inquiry into classification and nomenclature *H Kalter*

Short reports

666 Usher syndrome type III (USH3) linked to chromosome 3q in an Italian family *P Gasparini, A De Fazio, A I Croce, P Stanziale, L Zelante*

668 Meiotic breakpoint mapping of a proposed X linked visual loss susceptibility locus in Leber's hereditary optic neuropathy *H Y Handoko, P J Wirapati, H A Sudoyo, M Sitepu, S Marzuki*

672 De novo presenilin 1 mutations are rare in clinically sporadic, early onset Alzheimer's disease cases *C Dumanchin, A Brice, D Campion, D Hannequin, C Martin, V Moreau, Y Agid, M Martinez, F Clerget-Darpoux, T Frebourg, and the French Alzheimer's Disease Study Group*

674 Diagnosis of spinal muscular atrophy in an SMN non-deletion patient using a quantitative PCR screen and mutation analysis *D W Parsons, P E McAndrew, P S Allinson, W D Parker Jr, A H M Burghes, T W Prior*

677 Presence of the Apert canonical S252W FGFR2 mutation in a patient without severe syndactyly *M R Passos-Bueno, A Richieri-Costa, A L Sertié, A Kneppers*

680 Association of the FcεRIβ gene with bronchial hyper-responsiveness in an Italian population *E Trabetti, V Cusin, G Malerba, L C Martinati, A Casartelli, A L Boner, P F Pignatti*

682 Not para-, not peri-, but centric inversion of chromosome 12 *A N Silahtaroglu, S Hacihanefioglu, G S Güven, A Cenani, J Wirth, N Tommerup, Z Tümer*

685 Distal 6p deletion syndrome: a report of a case with anterior chamber eye anomaly and review of published reports *C J Law, A M Fisher, I K Temple*

690 Maternal systemic lupus erythematosus and chrondrodysplasia punctata in two sibs: phenocopy or coincidence? *N Elçioglu, C M Hall*

695 Neonatal lupus syndrome: a case with chondrodysplasia punctata and other unusual manifestations *E Austin-Ward, S Castillo, M Cuchacovich, A Espinoza, J Cofré-Beca, S González, X Solivelles, J Bloomfield*

Commentary

698 Chondrodysplasia punctata and maternal systemic lupus erythematosus *H V Toriello*

Abstracts

700 Medical genetics: advances in brief

Letters to the Editor

701 Frequency of the HFE C282Y and H63D mutations in distinct ethnic groups living in Spain *M Baiget, M J Barceló, E Gimferrer*

701 Mitochondrial DNA mutations and pathogenicity *P F Chinnery, D M Turnbull, N Howell, R M Andrews*

702 "Cataplexy" in Coffin-Lowry syndrome *J-P Fryns, E Smeets*

702 Autoclaving Guthrie cards does not prevent their use in PCR reactions! *R G F Gray, S K Hall*

702 **Book reviews**

704 **Notices**

No 9 SEPTEMBER 1998 Page

Original articles

705 Medical complications of achondroplasia: a multicentre patient review *A G W Hunter, A Bankier, J G Rogers, D Sillence, C I Scott Jr*

713 Sperm DNA analysis in a Friedreich ataxia premutation carrier suggests both meiotic and mitotic expansion in the *FRDA* gene *M B Delatycki, D Paris, R J M Gardner, K Forshaw, G A Nicholson, N Nassif, R Williamson, S M Forrest*

717 Ovine neuronal ceroid lipofuscinosis: a large animal model syntenic with the human neuronal ceroid lipofuscinosis variant CLN6 *M F Broom, C Zhou, J E Broom, K J Barwell, R D Jolly, D F Hill*

722 Del(18p) shown to be a cryptic translocation using a multiprobe FISH assay for subtelomeric chromosome rearrangements *S W Horsley, S J L Knight, J Nixon, S Huson, M Fitchett, R A Boone, D Hilton-Jones, J Flint, L Kearney*

727 Molecular, cytogenetic, and clinical characterisation of six XX males including one prenatal diagnosis *E Margarit, A Soler, A Carrió, R Oliva, D Costa, T Vendrell, J Rosell, F Ballesta*

731 Family history of breast cancer: what do women understand and recall about their genetic risk? *M Watson, V Duvivier, M Wade Walsh, S Ashley, J Davidson, M Papaikonomou, V Murday, N Sacks, R Eeles*

739 Men in breast cancer families: a preliminary qualitative study of awareness and experience *M F McAllister, D G R Evans, W Ormiston, P Daly*

745 Predicting adaptation to presymptomatic DNA testing for late onset disorders: who will experience distress? *A C DudokdeWit, A Tibben, H J Duivenvoorden, M F Niermeijer, J Passchier, and the other members of the Rotterdam/Leiden Genetics Workgroup*

Short reports

755 Four sibs with dislocated elbows, bowed tibiae, scoliosis, deafness, cataract, microcephaly, and mental retardation: a new MCA/MR syndrome *A Mégarbané, K Kharrat, G Kreichati*

759 Spastic paraplegia, optic atrophy, microcephaly with normal intelligence, and XY sex reversal: a new autosomal recessive syndrome? *A S Teebi, S Miller, H Ostrer, P Eydoux, C Colomb-Brockmann, K Oudjhane, G Watters*

763 Familial craniosynostosis, anal anomalies, and porokeratosis: CAP syndrome *N Flanagan, S A Boyadjiev, J Harper, L Kyne, M Earley, R Watson, E W Jabs, M T Geraghty*

767 Baller-Gerold syndrome associated with congenital portal venous malformation *R Savarirayan, P Tomlinson, E Thompson*

770 Fine localisation of the gene for central areolar choroidal dystrophy on chromosome 17p *A E Hughes, A J Lotery, G Silvestri*

773 Further refinement of the Usher 2A locus at 1q41 *D A R Bessant, A M Payne, C Plant, A C Bird, S S Bhattacharya*

775 Recurrence of the D409H mutation in Spanish Gaucher disease patients: description of a new homozygous patient and haplotype analysis *A Chabás, L Gort, M Montfort, F Castelló, M C Domínguez, D Grinberg, L Vilageliu*

778 Identical de novo mutation at the D4F104S1 locus in monozygotic male twins affected by facioscapulohumeral muscular dystrophy (FSHD) with different clinical expression *R Tupler, L Barbierato, M Memmi, C A Sewry, D De Grandis, P Maraschio, L Tiepolo, A Ferlini*

784 Paternally inherited deletion of CSH1 in a patient with Silver-Russell syndrome *T Eggermann, K Eggermann, S Mergenthaler, R Kuner, P Kaiser, M B Ranke, H A Wollmann*

Abstracts

787 Medical genetics: advances in brief

Letters to the Editor

788 A new dominant retinitis pigmentosa family mapping to the RP18 locus on chromosome 1q11-21 *C F Inglehearn, E E Tarttelin, T J Keen, S S Bhattacharya, A T Moore, R Taylor, A C Bird*

789 Frequency of inherited deletions of 22q11 *P W Thompson, S J Davies*

789 The annual incidence of DiGeorge/velocardiofacial syndrome *K Devriendt, J-P Fryns, G Mortier, M-N van Thienen, K Keymolen*

790 Sharing of PPT mutations between distinct clinical forms of neuronal ceroid lipofuscinoses in patients from Scotland *P B Munroe, N D E Greene, K-Y Leung, S E Mole, R M Gardiner, H M Mitchison, J B P Stephenson, Y J Crow*

790 PTEN and prostate cancer *E A Facher, J C Law*

791 Instability in the normal CTG repeat range at the myotonic dystrophy locus *A Meiner, B Thamm, S Strenge, U Froster*

791 **Book reviews**

No 10 OCTOBER 1998 Page

Review article

793 Clinical features, molecular genetics, and pathophysiology of dominant optic atrophy *M Votruba, A T Moore, S S Bhattacharya*

Original articles

801 Localisation of a gene for non-specific X linked mental retardation (MRX46) to Xq25-q26 *H G Yntema, B C J Hamel, A P T Smits, T van Roosmalen, B van den Helm, H Kremer, H-H Ropers, D F C M Smeets, H van Bokhoven*

806 The prevalence of PAX2 mutations in patients with isolated colobomas or colobomas associated with urogenital anomalies *H E Cunliffe, L A McNoe, T A Ward, K Devriendt, H G Brunner, M R Eccles*

813 Neurofibromatosis type 1 (NF1): a protein truncation assay yielding identification of mutations in 73% of patients *V M Park, E K Pivnick*

821 Parental origin effects in human trisomy for chromosome 14q: implications for genomic imprinting *P Georgiades, C Chierakul, A C Ferguson-Smith*

825 A common DLX3 gene mutation is responsible for tricho-dento-osseous syndrome in Virginia and North Carolina families *J A Price, J T Wright, K Kula, D W Bowden, T C Hart*

829 Isolation of BAC clones spanning the Xq22.3 translocation breakpoint in a lissencephaly patient with a de novo X;2 translocation *N Matsumoto, D T Pilz, J A Fantes, K Kittikamron, D H Ledbetter*

833 A FISH study of chromosome fusion in the ICF syndrome: involvement of paracentric heterochromatin but not of the centromeres themselves *A T Sumner, A R Mitchell, P M Ellis*

836 Mosaic supernumerary ring chromosome 19 identified by comparative genomic hybridisation *S R Ghaffari, E Boyd, J M Connor, A M Jones, J L Tolmie*

Short reports

841 Familial cylindromatosis mimicking tuberous sclerosis complex and confirmation of the cylindromatosis locus, CYLD1, in a large family *S Verhoef, C T R M Schrander-Stumpel, V D Vuzevski, A Tempelaars, L A J Jansen, G A M Malfeyt, Th L Ceelen, D Lindhout, D J J Halley, A M W van den Ouweland*

846 A single base mutation in COL5A2 causes Ehlers-Danlos syndrome type II *A J Richards, S Martin, A C Nicholls, J B Harrison, F M Pope, N P Burrows*

849 Fibroblast silver loading for the diagnosis of Menkes disease *F W Verheijen, C E M T Beerens, A C Havelaar, W J Kleijer, G M S Mancini*

852 Seminoma in a postmenopausal woman with a Y;15 translocation in peripheral blood lymphocytes and a t(Y;15)/45,X Turner mosaic pattern in skin fibroblasts *N Hoshi, M Fujita, M Mikuni, T Fujino, K Okuyama, Y Handa, H Yamada, T Sagawa, H Hareyama, Y Nakahori, K Fujieda, J A Kant, K Nagashima, S Fujimoto*

857 Further evidence for the involvement of human chromosome 6p24 in the aetiology of orofacial clefting *A F Davies, K Imaizumi, G Mirza, R S Stephens, Y Kuroki, M Matsuno, J Ragoussis*

862 Discordant phenotypes and 45,X/46,X,idic(Y) *T E Kelly, J B Franko, A Rogol, W L Golden*

865 Clinical features and mental development of a child with a prenatally identified 45,XX,der(5)t(5;18)(p15;q11.2),−18 karyotype *R G Hutcheon, A Mallik, M Shaham*

868 Mesoaxial complete syndactyly and synostosis with hypoplastic thumbs: an unusual combination or homozygous expression of syndactyly type I? *E F Percin, S Percin, H Egilmez, I Sezgin, F Ozbas, A N Akarsu*

875 Triophthalmia and facial clefting: a case report *S M Tayel, M A Sabry, N Abdel Kader, S Farah, S A Al-Awadi, T I Farag*

Letters to the Editor

878 Molecular evidence that fragile X syndrome occurs in the South African black population *A Goldman, T Jenkins, A Krause*

878 High frequency of the haemochromatosis C282Y mutation in Hungary could argue against a Celtic origin of the mutation *A Tordai, H Andrikovics, L Kalmár, K Rajczy, M Pénzes, B Sarkadi, I Klein, A Váradi*

879 Hypoplastic left heart in cerebrocostomandibular syndrome *E Kirk, L Ades*

879 Another dystonia *M W Partington*

880 **Notice to contributors**

No 11 NOVEMBER 1998 Page **Original articles**

881 Germline PTEN mutations in Cowden syndrome-like families *D J Marsh, P L M Dahia, S Caron, J B Kum, I M Frayling, I P M Tomlinson, K S Hughes, R A Eeles, S V Hodgson, V A Murday, R Houlston, C Eng*

886 Mutations of PTEN in patients with Bannayan-Riley-Ruvalcaba phenotype *M Longy, V Coulon, B Duboué, A David, M Larrègue, C Eng, P Amati, J-L Kraimps, A Bottani, D Lacombe, D Bonneau*

890 Rapid immunoblot and kinase assay tests for a syndromal form of X linked mental retardation: Coffin-Lowry syndrome *K Merienne, S Jacquot, E Trivier, S Pannetier, A Rossi, C Scott, A Schinzel, C Castellan, W Kress, A Hanauer*

895 A systematic mutation screen of 10 nuclear and 25 mitochondrial candidate genes in 21 patients with cytochrome c oxidase (COX) deficiency shows $tRNA^{Ser(UCN)}$ mutations in a subgroup with syndromal encephalopathy *M Jaksch, S Hofmann, S Kleinle, S Liechti-Gallati, D E Pongratz, J Müller-Höcker, K B Jedele, T Meitinger, K-D Gerbitz*

901 The site of a missense mutation in the extracellular Ig or FN domains of L1CAM influences infant mortality and the severity of X linked hydrocephalus *R C Michaelis, Y-Z Du, C E Schwartz*

905 Localisation of X linked recessive idiopathic hypoparathyroidism to a 1.5 Mb region on Xq26-q27 *D Trump, P H Dixon, S Mumm, C Wooding, K E Davies, D Schlessinger, M P Whyte, R V Thakker*

910 Identification of 12 novel mutations in the α-N-acetylglucosaminidase gene in 14 patients with Sanfilippo syndrome type B (mucopolysaccharidosis type IIIB) *C E Beesley, E P Young, A Vellodi, B G Winchester*

915 Identification of five novel germline mutations of the MEN1 gene in Japanese multiple endocrine neoplasia type 1 (MEN1) families *M Sato, S Matsubara, A Miyauchi, H Ohye, H Imachi, K Murao, J Takahara*

920 Classical lissencephaly syndromes: does the face reflect the brain? *J E Allanson, D H Ledbetter, W B Dobyns*

924 Studies of non-disjunction in trisomies 2, 7, 15, and 22: does the parental origin of trisomy influence placental morphology? *M V Zaragoza, E Millie, R W Redline, T J Hassold*

932 Severe phenotype resulting from an active ring X chromosome in a female with a complex karyotype: characterisation and replication study *C Stavropoulou, C Mignon, B Delobel, A Moncla, D Depetris, M F Croquette, M G Mattei*

Short reports

939 Two 22q telomere deletions serendipitously detected by FISH *K S Precht, C M Lese, R P Spiro, P R Huttenlocher, K M Johnston, J C Baker, S L Christian, K Kittikamron, D H Ledbetter*

943 Juvenile rheumatoid arthritis and del(22q11) syndrome: a non-random association *A Verloes, C Curry, M Jamar, C Herens, P O'Lague, J Marks, P Sarda, P Blanchet*

948 Lipomatous myelomeningocele, athyrotic hypothyroidism, and sensorineural deafness: a new form of syndromal deafness? *H L Peters, A Bankier*

951 A first missense mutation in the δ sarcoglycan gene associated with a severe phenotype and frequency of limb-girdle muscular dystrophy type 2F (LGMD2F) in Brazilian sarcoglycanopathies *E S Moreira, M Vainzof, S K Marie, V Nigro, M Zatz, M R Passos-Bueno*

954 Non-C282Y familial iron overload: evidence for locus heterogeneity in haemochromatosis *S Pinson, J Yaouanq, A M Jouanolle, B Turlin, H Plauchu*

957 A novel Asp380Ala mutation in the GLC1A/myocilin gene in a family with juvenile onset primary open angle glaucoma *A M Kennan, F C Mansergh, J H Fingert, T Clark, C Ayuso, P F Kenna, P Humphries, G J Farrar*

Abstracts

961 Medical genetics: advances in brief

Letters to the Editor

962 Diagnosis of the CMT1A duplication by PCR based detection of a novel junction fragment *O Combarros, A Oterino, J Berciano, A Benito, J L Fernández-Luna*

963 Pitfalls in the diagnosis of mtDNA mutations *S Seneca, W Lissens, I Liebaers, P van den Bergh, M C Nassogne, A Benatar, L de Meirleir*

964 Severe primary pulmonary hypoplasia ("acinar dysplasia") in sibs: a genetically determined mesodermal defect? *P Moerman, C Vanhole, H Devlieger, J-P Fryns*

965 Coexistence of Gaucher disease type 1 and Joubert syndrome *A van Royen-Kerkhof, B T Poll-The, W J Kleijer, O P van Diggelen, J M F G Aerts, J J Hopwood, F A Beemer*

966 **Book review**

968 **Notices**

No 12 DECEMBER 1998 Page

Original articles

969 Mutations in the TSC1 gene account for a minority of patients with tuberous sclerosis *J B M Ali, T Sepp, S Ward, A J Green, J R W Yates*

973 Differential diagnosis of type 2 neurofibromatosis: molecular discrimination of NF2 and sporadic vestibular schwannomas *C L Wu, N Thakker, W Neary, G Black, R Lye, R T Ramsden, A P Read, D G R Evans*

978 Genetic implications of double primary cancers of the colorectum and endometrium *T Pal, T Flanders, M Mitchell-Lehman, A MacMillan, J-S Brunet, S A Narod, W D Foulkes*

985 Locus heterogeneity in autosomal dominant congenital external ophthalmoplegia (CFEOM) *G C M Black, R Perveen, E Hatchwell, A Reck, J Clayton-Smith*

989 Novel TIGR/MYOC mutations in families with juvenile onset primary open angle glaucoma *D Stoilova, A Child, G Brice, T Desai, M Barsoum-Homsy, N Ozdemir, L Chevrette, M F Adam, H-J Garchon, R Pitts Crick, M Sarfarazi*

993 1.4 Mb candidate gene region for X linked dyskeratosis congenita defined by combined haplotype and X chromosome inactivation analysis *S W Knight, T J Vulliamy, N S Heiss, G Matthijs, K Devriendt, J M Connor, M D'Urso, A Poustka, P J Mason, I Dokal*

997 Linkage analysis in Rett syndrome families suggests that there may be a critical region at Xq28 *T Webb, A Clarke, F Hanefeld, J-L Pereira, L Rosenbloom, C G Woods*

1004 Segregation of mutations in arylsulphatase E and correlation with the clinical presentation of chondrodysplasia punctata *L J Sheffield, A H Osborn, W M Hutchison, D O Sillence, S M Forrest, S J White, H-H M Dahl*

1009 The C677T mutation of the 5,10-methylenetetrahydrofolate reductase gene is a moderate risk factor for spina bifida in Italy *R de Franchis, A Buoninconti, C Mandato, A Pepe, M P Sperandeo, R Del Gado, V Capra, E Salvaggio, G Andria, P Mastroiacovo*

1014 Uniparental disomy for chromosome 6 results in steroid 21-hydroxylase deficiency: evidence of different genetic mechanisms involved in the production of the disease *A U López-Gutiérrez, L Riba, M L Ordoñez-Sánchez, S Ramírez-Jiménez, M Cerrillo-Hinojosa, M T Tusié-Luna*

1020 Knowledge, views, and experience of 25 women with myotonic dystrophy *C L Faulkner, H M Kingston*

Short reports

1026 A family with mental retardation, variable macrocephaly and macro-orchidism, and linkage to Xq12-q21 *J P Johnson, R Nelson, C E Schwartz*

1031 Agenesis of the corpus callosum with Probst bundles owing to haploinsufficiency for a gene in an 8 cM region of 6q25 *B Pirola, L Bortotto, S Giglio, E Piovan, A Janes, R Guerrini, O Zuffardi*

1034 The butyrylcholinesterase K variant and susceptibility to Alzheimer's disease *P G Kehoe, H Williams, P Holmans, G Wilcock, N J Cairns, J Neal, M J Owen*

1036 Costello syndrome: two cases with embryonal rhabdomyosarcoma *B Kerr, O B Eden, R Dandamudi, N Shannon, O Quarrell, A Emmerson, E Ladusans, M Gerrard, D Donnai*

1040 Familial occurrence of congenital incomplete prepyloric mucosal diaphragm *D B Gahukamble*

1043 Autosomal recessive anhidrotic ectodermal dysplasia in a large Moroccan family *K Kabbaj, L Baala, H Chhoul, A Sefiani*

1045 Segregation distortion in myotonic dystrophy *A C Magee, A E Hughes*

1047 Mild phenotype associated with an interstitial deletion of the long arm of chromosome 1 *D Melis, L Perone, M P Sperandeo, M S Sabbatino, M R Tuzzi, A Romano, G Parenti, G Andria*

1050 De novo unbalanced translocation resulting in monosomy for proximal 14q and distal 4p in a fetus with intrauterine growth retardation, Wolf-Hirschhorn syndrome, hypertrophic cardiomyopathy, and partial hemihypoplasia *C-P Chen, S-R Chern, C-C Lee, W-L Chen, M-H Chen, K-M Chang*

Letters to the Editor

1054 Kenny-Caffey syndrome without the CATCH 22 deletion *T Yorifuji, J Muroi, A Uematsu*

1054 Kenny-Caffey syndrome is part of the CATCH 22 haploinsufficiency cluster *J Goodship*

1054 Kenny-Caffey syndrome is part of the CATCH 22 haploinsufficiency cluster *J Kirk*

1054 Genotypic/phenotypic heterogeneity of Kenny-Caffey syndrome *M A Sabry, M Zaki, A Shaltout*

1055 Tricuspid atresia in sibs *A E Lin, L Rosti*

1056 **Book review**

1057 **Index**